

# P **Elsholtzia cristata**

## Common Name(s)

Furan Chemotype

## How Used

M

Chemical Plant Part		Low	High	StdDev	Reference	Citation
		PPM	PPM			
0	(E,E)-ALPHA-FARNESENE	Shoot 8	8	-1	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from Elsholtzia Species; II. Constituents of Essential Oil from a New Chemotype of Elsholtzia cristata. Planta Medica 1987: 268-271.	
67	1,8-CINEOLE	Shoot 5	5	-0.13552675308545786	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from Elsholtzia Species; II. Constituents of Essential Oil from a New Chemotype of Elsholtzia cristata. Planta Medica 1987: 268-271.	
0	1-OCTEN-3-OL	Shoot 26	26	-0.5297731328163784	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from Elsholtzia Species; II. Constituents of Essential Oil from a New Chemotype of Elsholtzia cristata. Planta Medica 1987: 268-271.	

Chemical Plant Part			Low StdDev	High StdDev	Reference Citation
	PPM	PPM			
0 2-ISOVALERYL-3-METHYLFURAN	Shoot 6	6			Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
0 3-METHYL-2(3-METHYLBUT-2-ENOYL)-FURAN	Shoot 3550	3550			Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
0 3-METHYL-2(3-METHYLBUT-3-ENOYL)-FURAN	Shoot 36	36			Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
6 ACETOPHENONE	Shoot 8	8	-0.6418557959621566		Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
0 ALPHA-BERGAMOTENE	Shoot 8	8	-0.36522942269511943		Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
28 ALPHA-PINENE	Shoot 0.1	0.1	-0.14743853348260805		Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.

Chemical Plant Part	Low StdDev Reference Citation		
	PPM	PPM	
3 BENZENE	Shoot--	--	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
13 BETA-PINENE	Shoot 0.1	0.1	-0.12109338121831005 Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
0 BOURBONENE	Shoot 11	11	2.0308775244492967 Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
9 CAMPHENE	Shoot 0.1	0.1	-0.1342670938252942 Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
41 CAMPHOR	Shoot 4	4	-0.15713232029187357 Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
31 CARYOPHYLLENE	Shoot 38	38	-0.4425453830634053 Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.

Chemical Plant Part		Low	High	StdDev	Reference	Citation
		PPM	PPM			
0	EO	Shoot	4000	4000	-0.5827973434074178	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
2	HUMULENE	Shoot	55	55	-0.3417476166811696	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
3	METHYL-ACETATE	Shoot	--	--	-1	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
22	MYRCENE	Shoot	0.1	0.1	-0.34222464567492455	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
5	SABINENE	Shoot	0.1	0.1	-0.2958155895997193	Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.
1	TOLUENE	Shoot	--	--		Kobold, U., Vostrowsky, O., Bestmann, H.J., Bisht, J.C., Pant, A.K., Melkani, A.B. and Mathela, C.S. 1987. Terpenoids from <i>Elsholtzia</i> Species; II. Constituents of Essential Oil from a New Chemotype of <i>Elsholtzia cristata</i> . <i>Planta Medica</i> 1987: 268-271.